Issue 5, January 2021 Page 1 of 7

# SAFETY DATA SHEET

Hazardous Substance, Classified as Dangerous Goods

# 1. MATERIAL AND SUPPLY COMPANY IDENTIFICATION

Product Name: AUSPLAST WOOD POLE PRESERVING COMPOUND known as

**AUSPLAST** 

Recommended use: Wood preservative to protect timber structures from wood decay.

#### **COMPANY DETAILS**

Supplied and Manufactured by: Ausmose Pty Ltd. ABN 23 002 617 772 147 Herald St Cheltenham VIC 3192

**Telephone:** (03) 9532 0679 **Email:** office@preschem.com

Emergency Telephone Number: (03) 9532 0679 - Engineering Manager

Notice: The information herein is given in good faith, but no warranty, express or

implied is made.

#### 2. HAZARD IDENTIFICATION

Signal Word DANGER

**Pictograms** 





### Hazard Statement(s):

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

#### Prevention statement(s)

H301 Toxic if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

AUH032 Contact with acids liberates very toxic gas

Issue 5, January 2021 Page 2 of 7

# Disposal statement(s)

P405 Store locked up.

### Storage statement(s)

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P305 + P351 + P338

P321 Specific treatment is advised - see first aid instructions.

P330 Rinse mouth.

P332 + P337 + P313 If skin or eye irritation occurs: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before re-use.

# Response statement(s)

UN Number: 3288

Hazchem Code: None allocated

Class 6 Dangerous Goods according to the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail.

### Poisons Schedule (Aust): S6

This material is a Scheduled Poison S6 and must be stored, maintained and used in accordance with the relevant regulations.

This material is hazardous according to health criteria of Safe Work Australia.

#### 3. COMPOSITION INFORMATION

Chemical Name CAS No Proportions % w/w

Sodium Fluoride 7681-49-4 40-50
Paraffin Not applicable 35-45
Inert Filler – Calcium Sulphate 5-8

Thixatropes Not applicable 1-3

#### 4. FIRST AID MEASURES

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 131 126, New Zealand 0800 764 766).

**Inhalation:** Remove victim from exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most

Supersedes SDS issued Dec. 2016

Issue 5, January 2021 Page 3 of 7

comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

**Skin contact:** If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If swelling, redness, blistering or irritation occurs seek medical assistance.

**Eye contact:** If in eyes, hold eyelids apart and flush the eyes continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre or a Doctor; or for at least 15 minutes and transport to Doctor or Hospital

**Ingestion:** Immediately rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water to drink. Never give anything by the mouth to an unconscious patient. If vomiting occurs give further water. Seek immediate medical advice.

**Notes to physician:** Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

**Specific hazards:** Combustible material but is difficult to ignite.

**Fire fighting further advice:** On decomposing may emit toxic fumes, CO and CO<sub>2</sub>. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion.

Hazchem Code: Not applicable.

**Suitable extinguishing media:** Combustible, if material is involved in a fire use water fog (or if unavailable fine water spray), foam, dry agent (carbon dioxide, dry chemical powder).

**Other details:** Sodium Fluoride will not be affected by the heat, and burnt remnants shall be scraped into containers for disposal according to local waste management requirements. Remaining small deposits may be washed down with water.

#### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS.

#### 6.2 Environmental precautions

Prevent product from entering drains and waterways.

#### 6.3 Methods of cleaning up

Contain spillage, then collect and place in suitable containers for disposal. Avoid generating dust.

#### 6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

Issue 5, January 2021 Page 4 of 7

### 7. HANDLING AND STORAGE

**Storage:** Store boxes of cartridges and pre-coated rolls in a cool ventilated area under cover. Pallets should not be packed more than 4 boxes high (900 mm). Do not top-load pallets. During field use, avoid leaving exposed for long periods in direct sunlight or extreme temperatures.

Do not store in areas containing acids as contact may liberate a very toxic gas.

**Handling:** Avoid eye contact and repeated or prolonged skin contact.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

National occupational exposure limits:

No value assigned for this specific material by the Hazardous Chemical Information System (HCIS).

However, for:

	TWA		STEL		CARCINOGEN	NOTICES
	ppm	mg/m3	ppm	mg/m3	CATEGORY	
Fluorides (as F)	-	2.5	-	-	-	-

As published by the Hazardous Chemical Information System (HCIS Australia).

**TWA** - The time-weighted average airborne concentration over an eight-hour working day, for a five-day working week over an entire working life.

**STEL** (Short Term Exposure Limit) - the average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight-hour workday.

These Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept too as low a level as is workable. These exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

If the directions for use on the product label are followed, exposure of individuals using the product should not exceed the above standard. The standard was created for workers who are routinely, potentially exposed during product manufacture.

**Biological Limit Values:** As per the "National Model Regulations for the Control of Workplace Hazardous Substances (Safe Work Australia)" the ingredients in this material do not have a Biological Limit Allocated.

Issue 5, January 2021 Page 5 of 7

**Engineering measures:** Ensure ventilation is adequate to maintain air concentrations below Exposure Standards. Natural ventilation should be adequate under normal use conditions.

Personal protection equipment: PROTECTIVE CLOTHING, SAFETY SHOES, GLOVES.

Wear appropriate protective clothing (eg. overalls or similar), oil resistant gloves and boots. Gloves should be changed depending on the operator's skill in handling Ausplast; keeping oil contamination to a minimum. Contaminated gloves and boots must be either replaced or cleaned by washing with detergent and water. Keep paper towel roll handy for occasional clean-up when needed and dispose of in the plastic bag supplied. After use and before eating, drinking or smoking; wash hands, arms and face thoroughly with soap and water. After each days use wash contaminated clothing.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/odour/form: Light brown to yellow adherent paste with a slightly oily

odour. Available in either a 300ml catridge, or on a wax

paper backed pre-formed bandage.

Boiling Point Melting Point: >250°C

Vapour Pressure: > 1 pascal at 20°C

Specific Gravity: 1.4
Flashpoint: >170°C

Flammability Limits: Not applicable Auto-ignition temperature: Not Applicable

Solubility in Water (g/L): Low solubility product, however for Sodium Fluoride: 41

g/L at 25°C.

pH: between 5.5 and 7.

# **10. STABILITY AND REACTIVITY**

Chemical stability: This material is thermally stable when stored and used as directed.

Conditions to avoid: Contact with water will result in the product deteriorating.

**Incompatible Materials:** No information available.

**Hazardous decomposition products**: Oxides of carbon and nitrogen, smoke and other toxic fumes.

toxic farrics.

Hazardous reactions: Contact with acids will result in the evolution of toxic gases.

### 11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Issue 5, January 2021 Page 6 of 7

#### **Acute Effects**

**Inhalation:** Not applicable when stored and handled as directed. The product is a paste impregnated onto bandage. It is highly unlikely to occur as a dust or vapor.

**Skin contact:** Due to the products structure, short-term exposure is unlikely to cause irritation. Repeated or prolonged skin contact will lead to irritation.

**Eye contact:** Exposure to dust will cause eye irritation, however this is unlikely if the product is stored and handled as directed.

#### Ingestion:

Harmful if swallowed. Swallowing can result in nausea, vomiting and irritation of the gastrointestinal tract.

Long Term Effects: No information available for product.

Acute toxicity / Chronic toxicity

No LD50 data available for the product. However, for the constituents:

Fluoride

Oral LD50 (rat): 52 mg/kg

#### 12. ECOLOGICAL INFORMATION

Avoid contaminating waterways.

Ecotoxicity: No information available.

Persistence and degradability: No information available.

**Mobility:** No information available.

### 13. DISPOSAL CONSIDERATIONS

Refer to State/Territory Land Waste Management Authority.

#### 14. TRANSPORT INFORMATION

#### **ROAD AND RAIL TRANSPORT**

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail.

Issue 5, January 2021 Page 7 of 7

#### MARINE TRANSPORT

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

#### **AIR TRANSPORT**

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

# 15. REGULATORY INFORMATION

### Poisons Schedule (Aust): S6

All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).

#### 16. OTHER INFORMATION

#### Literary reference

This Safety Data Sheet has been updated and prepared by Ausmose Pty Ltd.

Reason(s) For Issue: 5 Year Revision

Safety Data Sheets are updated frequently. Please ensure that you have a current copy.

This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since Ausmose Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this SDS in the context of how the user intends to handle and use the product in the workplace.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company.

Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.